

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 230 842 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

14.08.2002 Bulletin 2002/33

(51) Int Cl.7: **A01H 4/00, A01H 3/00**

(21) Application number: **01102957.6**

(22) Date of filing: **08.02.2001**

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**

Designated Extension States:

AL LT LV MK RO SI

(72) Inventor: **Jensen, Gert Kim**

5270 Odense N (DK)

(74) Representative: **Roerboel, Lelf et al**

Budde, Schou & Ostenfeld A/S,

Vester Soegade 10

1601 Copenhagen V (DK)

(71) Applicant: **GARTNERIET PKM ApS**

5270 Odense N (DK)

(54) **Campanula propagation**

(57) This invention pertains to a method of industrial propagation of rosette-forming *Campanula*. By treating a parent plant (1) with a high dose of a plant hormone

belonging to the gibberellins, growth of buds (2) from growing points (3) is induced. The resulting shoots (4) are taken as cuttings which are planted in a growing substrate to grow a new plant like the one it came from.




FIG. 3

EP 1 230 842 A1

Description

TECHNICAL FIELD

[0001] The present invention relates to an industrial method of propagating rosette-forming *Campanula* as set forth in the preamble of claim 1.

BACKGROUND ART

[0002] Rosette-forming *Campanula* are normally reproduced on an industrial scale from seed. Propagation through cutting or rooting is possible for some species of rosette-forming *Campanula* in laboratory conditions through a cumbersome and problematic process that is not commercially viable for industrial propagation. There are several disadvantages connected to propagating through seeds. The market often demands *Campanula* having a particular appearance such as colour and shape of the flowers. When propagating through seeds, the resulting plants comprise a great variety in appearance because the genetic material is not identical. The consequence being that often more than half of the seeded plants cannot be sold and have to be destroyed. Further, the variation of properties causes the speed at which the plants develop to vary significantly, and the plants will flower after one, two or three years. The plants have to be flowering when sold. A span of years between the time of flowering of plants that were sown in the same batch is not complement with industrial propagation in greenhouses, where the efficiency of the space and time is crucial because of the high operating costs of a greenhouse. Thus, there is a need for an industrially viable method of propagating rosette-forming *Campanula* with uniform genetic material.

DISCLOSURE OF THE INVENTION

[0003] On this background, it is the object of the present invention to provide a method of propagating rosette-forming *Campanula* of the kind referred to initially, which overcomes the above-mentioned problems. This object is achieved in accordance with claim 1. The treatment of the parent plants with a high dose of a plant hormone belonging to the gibberellins initiates the growth of buds at the grow points which grow into shoots that are suitable to be used as cuttings for propagation with a high rate of success.

[0004] According to an embodiment of the invention, the parent plants are treated with a gibberellin suspension with a concentration of 100 to 2000 ppm. Tests proved that concentration above this range does not improve the results, whereas a lower dose leads to reduced success rates.

[0005] According to another embodiment, the first generation of parent plants is reproduced from a selected plant by meristem cloning. Usually only a single plant with the required characteristics can be found. One par-

ent plant does not provide sufficient cuttings to form the basis for large-scale propagation. As the trends in colour and shape change fast, it is not practical to slowly build-up a group of parent plants by taking cuttings. By using meristem cloning a sufficiently large stock of parent plants with ideal properties can be created fast enough to respond to market changes.

[0006] According to a further embodiment, the cuttings are treated with a plant hormone belonging to the auxins, to stimulate rooting in order to improve the success rate of the planted cuttings, thereby increasing the overall efficiency of the propagation method.

[0007] It is another object of the present invention to provide a method of controlling the growth and time of flowering of asexually reproduced rosette-forming *Campanula*, as defined in claim 8.

BRIEF DESCRIPTION OF THE DRAWINGS

[0008] In the following detailed portion of the present description, the invention will be explained in more detail with reference to the exemplary embodiments shown in the drawings, in which

Figure 1 shows a rosette-forming *Campanula*,
Figure 2 shows a rosette-forming *Campanula* shortly after treatment with gibberellin, and
Figure 3 shows a rosette-forming *Campanula* having shoots from the growth points suitable for use as cuttings.

DETAILED DESCRIPTION OF THE INVENTION

[0009] The genus *Campanula* comprises about 300 species of annuals, biennials and perennials. Most of these species are easily cultivated and provide a display of long lasting flowers.

[0010] Leaves are entire or toothed and borne alternately. Flowers are borne in panicles, racemes or clustered heads. Occasionally, they are solitary. Their shape varies from tubular to bell- or star-shaped. They may also be more open and be cup- or saucer-shaped.

[0011] Propagation for all but double-flowered forms is easy from seed, although some are slow to germinate and develop (e.g. *Campanula Formanekiana*). Seed may be sown in containers and placed in a cold frame in the spring.

[0012] The present invention pertains to the group of rosette-forming *Campanula*, i.e. forming a cluster of leaves growing in a circular overlapping pattern. This group, botanically also referred to as *Rupestris/Lyrata* group, comprises e.g. *Campanula Formanekiana*, *Campanula Ephesia*, *Campanula Celsii*, *Campanula Lyrata* and *Campanula Incurva*.

[0013] All species of the rosette-forming group are problematic to propagate by cuttings. Figure 1 shows a *Campanula Formanekiana*. None of the parts of the plant are, as far as known, suitable for taking viable cut-

tings.

[0014] According to a preferred embodiment of the invention, a high dose of a plant hormone belonging to the gibberellins is applied to a sufficiently developed parent plant 1. Commercially available gibberellins like gibberellic acid (GA3) are sold under the trademark Be-relex, produced by Abbott Laboratories.

[0015] The gibberellic acid is applied by spraying a solution on the plants 1. Generally the concentration has to be between 100 and 2000 ppm. Tests showed that the preferred concentration of the gibberellic acid solution is 500 to 1000 ppm to apply a high dose. Below 500 ppm the viability of the cuttings and the number of cuttings are insufficient. Above 1000 ppm the tests showed no further improvement in the viability and number of cuttings.

[0016] It has shown to be advantageous to have a repetitive treatment under certain circumstances.

[0017] Figure 2 shows a plant 1 shortly after being treated with a high dose of gibberellin. The gibberellin treatment has initiated the growth of high numbers (approximately 10 buds per parent plant) of buds 2 from the growing points 3.

[0018] Figure 3 shows the plant in the next stage where the buds 2 have developed to shoots 4 that are of a suitable size for taking cuttings. These cuttings are planted in a suitable substrate (not shown) in order to grow a plant identical to the parent plant 1. In a preferred embodiment, the cuttings are treated with a plant hormone belonging to the auxins for stimulating root growth on the cuttings.

[0019] According to yet another preferred embodiment, the first generation of parent plants 1 is obtained by meristem cloning from a plant with particularly advantageous characteristics. In order to determine if a potential parent plant has particularly advantageous characteristics, it is necessary to let the plant flower so that its characteristics are displayed. The rosette-forming *Campanula* die, however, after flowering and are thus no longer suitable for use as parent plant. This dilemma is overcome by meristem cloning. From the meristem clone a vegetative plant with identical genetic material can be obtained which is suitable for use as a parent plant. Thus, a sufficient number of parent plants for taking cuttings can be produced relatively fast in order to respond quickly to changes in trends of colour, shape and other characteristics dictated by the market.

[0020] Generally asexually propagated *Campanula* have problems with flowering because the natural mechanism for initiating generative growth has been put out of action. Thus, it has been proven experimentally that a winter simulation method as defined below stimulates generative growth:

- providing 10 to 12 weeks of long-day light conditions after planting, thereafter
- providing 2 to 4 weeks of short-day light conditions, then

- providing 3 to 6 weeks of substantially complete darkness and temperatures between 0 to 8° C, to simulate a winter, thereafter
- providing long-day light conditions to stimulate generative growth.

[0021] It has been proven to be advantageous when the plants are kept on low nutrients levels, e.g. 1.0, and on low humidity of the soil, i.e. the substrate must be allowed to dry out between the waterings to further stimulate generative growth.

[0022] In a preferred embodiment, the parent plants and the cuttings are cultivated in a greenhouse.

LIST OF REFERENCE NUMERALS

[0023]

- | | |
|---|---------------|
| 1 | plant |
| 2 | bud |
| 3 | growing point |
| 4 | shoot |

Claims

1. Method of asexually propagating rosette-forming *Campanula* comprising the steps of:
 - applying a plant hormone belonging to the gibberellins to a parent plant (1), thereby inducing growth of buds (2) from growing points (3),
 - allowing said buds (2) to grow to form shoots (4),
 - taking said shoots (4) as cuttings, and
 - planting said cuttings in a growing substrate to grow a new plant like the one it came from.
2. Method according to claim 1, wherein the gibberellin is applied as a solution with a concentration of 500 to 1000 ppm.
3. Method according to claim 1 or 2, wherein said solution is applied by spraying.
4. Method according to any of claims 1 to 3, wherein a parent plant is reproduced from a selected plant by meristem cloning.
5. Method according to any of claims 1 to 4 in which the cuttings are treated with auxin to stimulate rooting.
6. Method according to any of claims 2 to 5 in which the gibberellin solution is applied as a spray and/or as a soil drench.
7. Method according to any of claims 1-6 in which

0.0005 g to 0.020 g, preferably 0.003 g to 0.004 g, of gibberellin is applied per plant.

8. Method of controlling the growth and time of flowering of rosette-forming *Campanula* asexually propagated 5

- providing 10 to 12 weeks of long-day light conditions after planting, thereafter
- providing 2 to 4 weeks of short-day light conditions, then 10
- providing 3 to 6 weeks of substantially complete darkness and temperatures between 0 to 8° C to simulate a winter, thereafter
- providing long-day light conditions to stimulate generative growth. 15

9. Method according to claim 8 wherein the plants are kept on low nutrients levels, and on low humidity of the soil. 20

25

30

35

40

45

50

55



FIG.1




FIG. 3




FIG. 2



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 10 2957

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|---|--|---|--|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int.Cl.7) |
| A | BRANDT K: "MICROPROPAGATION OF CAMPANULA-ISOPHYLLA MORETTI" PLANT CELL TISSUE AND ORGAN CULTURE, vol. 29, no. 1, 1992, pages 31-36, XP001010159 ISSN: 0167-6857 * the whole document * | 1,5 | A01H4/00 A01H3/00 |
| A | EP 1 062 865 A (MADSEN KRISTIAN) 27 December 2000 (2000-12-27) * the whole document * | 1 | |
| A | PATENT ABSTRACTS OF JAPAN vol. 016, no. 040 (C-0906), 31 January 1992 (1992-01-31) & JP 03 247219 A (AJINOMOTO CO INC), 5 November 1991 (1991-11-05) * abstract * | 1 | |
| A | KO JAE-YOUNG ET AL: "Effect of plant growth regulators on growth and flowering of potted <i>Lychnis cognata</i> , <i>Aster koraiensis</i> and <i>Campanula takesimana</i> ." RDA JOURNAL OF AGRICULTURAL SCIENCE HORTICULTURE, vol. 38, no. 1, 1996, pages 627-632, XP001010165 ISSN: 1225-5416 * the whole document * | | TECHNICAL FIELDS SEARCHED (Int.Cl.7) A01H |
| -The present search report has been drawn up for all claims | | | |
| Place of search THE HAGUE | | Date of completion of the search 6 July 2001 | Examiner Oderwald, H |
| <p>CATEGORY OF CITED DOCUMENTS</p> <p>X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document</p> <p>T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons a: member of the same patent family, corresponding document</p> | | | |

EP0 FORM 1503 03/02 (PUBLISHED)



European Patent
Office

Application Number

EP 01 10 2957

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☐ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☒ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:

1-7



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number
EP 01 10 2957

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-7

Method of asexually propagating rosette-forming Campanula.

2. Claim : 8 and 9

**Method of controlling the growth and time of flowering of
rosette-forming Campanula asexually propagated.**

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 01 10 2957

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

06-07-2001

| Patent document cited in search report | | Publication date | Patent family member(s) | Publication date |
|---|---|---------------------|----------------------------|---------------------|
| EP 1062865 | A | 27-12-2000 | NONE | |
| JP 03247219 | A | 05-11-1991 | NONE | |

EPO FORM P4439

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82